

ASX Announcement

Drilling Update from AVL's Gabanintha Vanadium Project

Highlights:

- Metallurgical diamond drilling program for collection of pilot processing test material advancing ahead of schedule
- Controlled drilling has collected over 17 tonnes of massive magnetite, utilising 1,227m of drilled core and providing significant time and cost savings
- Nine tonnes of the planned thirty tonnes of sample has arrived in Perth for processing
- Program is focused on development area in northern 2km of total 11.5km of AVL held deposit strike
- Drilling confirming detailed geological model, proving depth extension and deposit thickness
- New data to include resource extension drilling in southern area of PFS pit development area
- Mineral Resource upgrade to follow the end of drilling, expected April 2019
- Pilot metallurgical test program to commence in April 2019
- Other DFS engineering and environmental approvals ongoing
- Revised Project timeline targeting 2021 production start, subject to finance

Australian Vanadium Limited (ASX: AVL, "the Company" or AVL") is pleased to report on progress of metallurgical and resource drilling at its Gabanintha vanadium project near Meekatharra in Western Australia.

The current drill program is collecting large diameter diamond (PQ size) core as test material for pilot scale studies, using blends of material types that will be typical of material to be mined from the high-grade massive

21 February 2019

ASX ANNOUNCEMENT

Australian Vanadium Limited

ASX: AVL
FRA: JT7.F

ABN: 90 116 221 740

T: +61 8 9321 5594
F: +61 8 6268 2699
E: info@australianvanadium.com.au
W: australianvanadium.com.au

Street Address:

Level 1, 85 Havelock Street
West Perth WA 6005

Postal Address:

Level 1, 85 Havelock Street
West Perth WA 6005

Projects:

Gabanintha - Vanadium
Blesberg, South Africa - Lithium/Tantalum
Northanna Hill - Uranium/Vanadium
Coates - Vanadium



magnetite layer within the proposed open pit at Gabanintha. (See ASX Announcement dated 19 December 2018 'Gabanintha Pre-Feasibility Study and Maiden Ore Reserve')

Detailed pilot scale test work will allow the planned processing flow diagram (PFD), to be tested on representative volumes of ore to ensure that the process is scaled up correctly for actual mine production. Full scale pilot studies are typical and best practice for projects of the size of AVL's Gabanintha.

2019 Pilot Plant Drill Campaign

Collection of large diameter diamond core (PQ size) as test material for pilot scale studies is rapidly progressing. Diamond core of all material types in the high-grade massive magnetite layer is currently being drilled using downdip and vertical diamond drill holes. The drilling is being undertaken within AVL's proposed open pit at Gabanintha.



Plate 1 - Diamond drill rig on site at the Gabanintha Project

Managing Director Vincent Algar comments, "The substantial thickness of the deposit has allowed the company to advance collection of material for the Pilot Study by carefully planned and executed downdip drilling (See Figure 2). The time and cost savings gained by using this method match our accelerated time line to 2021 production. Drilling is progressing exceptionally well, recovering high quality magnetite and proceeding ahead of schedule."

Nine tonnes of drill core have already been delivered to an experienced laboratory in Perth, with the remainder to be delivered in regular intervals through February and March.

On completion, the drill program will provide AVL with:

- Approximately 30 tonnes of oxide, transitional and fresh core samples required to run a robust pilot plant testwork program for the Crushing, Milling and Beneficiation (CMB) circuit;
- Concentrate products from the CMB pilot plant testwork program for use in salt-roast leach and hydrometallurgical tests that will produce samples of refined vanadium pentoxide (V_2O_5); and
- Information from these tests to be used to further refine the results of the Pre-Feasibility Study (PFS) released in December 2018.

- Additional intersections and assay information for the estimation of a revised Mineral Resource Estimate, targeting extensions to the resources to the south of and below the current pit design where the deposit remains open at depth.



Plate 2 - Fresh Massive Magnetite in Diamond drill core from 19MTDH001 on site at the Gabanintha Project

Focused campaign

The current drilling campaign is focused on the northern 2km of AVL's 11.5km deposit strike length and the collected tonnage is spread along the length of the pit defined by the PFS. The robust analysis of large volumes of typical material from within the Ore Reserve aims to distinguish AVL from its peers as the leading vanadium project of choice globally.

8 holes have been completed for 1,227m in the program to date. Table 1 shows the drill collars and orientations of the completed drillholes. Samples have not yet been sent for assay analysis, but detailed calibrated handheld XRF measurements and portable MagSus (Magnetic Susceptibility) measurements have been collected every 50cm along the core for detailed interpretation (see Plate 2). Hole 19MTDH006 drilled down dip of the massive magnetite horizon extended to 230m within the magnetite horizon (see Figure 2). This hole confirms the highly consistent nature of the Gabanintha mineralised zones as well as confirming the accuracy of the current resource model.

The drill program is due for completion in late March 2019 and is currently running ahead of schedule.

Table 1 Drillhole Collar Table

Hole ID	MGA94 East	MGA94 North	RL	Total Depth	Dip	Azimuth
19MTDH001	663567	7016061	467.5	188.6	-55	233.3
19MTDH002	663996	7015280	465.6	211.9	-62	230.5
19MTDH003	663217	7016809	467.3	108.0	-50	230.0
19MTDH004	663760	7015685	468.2	135.0	-55	230.0
19MTDH005	664209	7014980	463.7	147.0	-49.5	229.1
19MTDH006	663689	7015838	467.7	230.0	-48	230.0
19MTDH007	663350	7016401	464.9	<i>Drilling</i>	-65	231.8
19MTDH008	664076	7015183	468.4	111.0	-55	228.9
19MTDH009	663217	7016809	467.3	96.3	-50	228.6

Gabanintha Project Path forward

Upon successful collection of the core for the Pilot Study, AVL's Gabanintha project is on schedule for completion of the Pilot Study and DFS in 2019. The Company will then proceed into Front End Engineering Design (FEED) and construction in 2020 followed by start-up in 2021. Submission of a detailed environmental assessment for the project will occur upon completion of all required study work, to allow full assessment by the regulators.

The Company is active in the vanadium and financial markets, presenting the technical merits of the project to prospective partners and investors. The project is being very well received and the company is confident that a prospective investment partner will be found to join with AVL in the development of its Gabanintha Vanadium Project.

For further information, please contact:

Vincent Algar, Managing Director +61 8 9321 5594




Figure 2 -Schematic Cross Section of hole 19MTDH006 showing hole's location inside the massive magnetite target zone. Lithologies intersected include 166m of massive magnetite with 60m of minor mafic bands.




Figure 3 - Location Diagram of the Gabanintha Project

Table 2 - Gabanintha Project – Mineral Resource estimate at November 2018 by domain and resource classification using a nominal 0.4% V₂O₅ wireframed cut-off for low grade and nominal 0.7% V₂O₅ wireframed cut-off for high grade (total numbers may not add up due to rounding)

Zone	Classification	Mt	V ₂ O ₅ %	Fe %	TiO ₂ %	SiO ₂ %	Al ₂ O ₃ %	LOI %
HG 10	Measured	10.2	1.11	42.7	12.6	10.2	8.0	3.9
	Indicated	12.1	1.05	43.8	11.9	10.6	7.6	3.5
	Inferred	74.5	0.97	42.1	11.2	11.6	7.6	3.4
	Sub-total	96.7	1.00	42.4	11.4	11.3	7.7	3.5
LG 2-5	Measured	-	-	-	-	-	-	-
	Indicated	28.6	0.50	24.6	6.9	27.5	17.9	8.6
	Inferred	53.9	0.49	25.3	6.7	27.5	16.4	7.3
	Sub-total	82.5	0.49	25.1	6.8	27.5	16.9	7.7
Transported 6-8	Measured	-	-	-	-	-	-	-
	Indicated	-	-	-	-	-	-	-
	Inferred	4.4	0.65	28.2	7.2	24.7	16.7	8.5
	Sub-total	4.4	0.65	28.2	7.2	24.7	16.7	8.5
Total	Measured	10.2	1.11	42.7	12.6	10.2	8.0	3.9
	Indicated	40.7	0.66	30.3	8.3	22.5	14.8	7.1
	Inferred	132.7	0.77	34.8	9.2	18.5	11.5	5.1
	Sub-total	183.6	0.76	34.3	9.2	18.9	12.1	5.5

Table 3 - Ore Reserve Statement as at November 2018, at a cut-off grade of 0.8% V₂O₅

Reserve classification	t	V ₂ O ₅ %	Co ppm	Ni ppm	Cu ppm	S %	SiO ₂ %	Fe ₂ O ₃ %	V ₂ O ₅ produced t
Proved	9,820,000	1.07	172	571	230	0.06	9.47	58.7	65,000
Probable	8,420,000	1.01	175	628	212	0.08	10.07	59.5	56,000
Total	18,240,000	1.04	173	597	222	0.07	9.75	59.1	121,000

Competent Person Statement — Mineral Resource Estimation

The information in this announcement that relates to Mineral Resources is based on and fairly represents information compiled by Mr Lauritz Barnes, (Consultant with Trepanier Pty Ltd) and Mr Brian Davis (Consultant with Geologica Pty Ltd). Mr Davis is a shareholder of Australian Vanadium Limited. Mr Barnes and Mr Davis are members of the Australasian Institute of Mining and Metallurgy (AusIMM) and Mr Davis is a member of the Australian Institute of Geoscientists, both have sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Specifically, Mr Barnes is the Competent Person for the estimation and Mr Davis is the Competent Person for the database, geological model and site visits. Mr Barnes and Mr Davis consent to the inclusion in this announcement of the matters based on their information in the form and context in which they appear.

Competent Person Statement — Ore Reserves

The scientific and technical information in this announcement that relates to ore reserves estimates for the Project is based on information compiled by Mr Roselt Croeser, an independent consultant to AVL. Mr Croeser is a member of AusIMM. Mr Croeser has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a competent person as defined in the JORC 2012 Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr Croeser consents to the inclusion in the announcement of the matters related to the ore reserve estimate in the form and context in which it appears.

Competent Person Statement – Metallurgical Results

The information in this announcement that relates to Metallurgical Results is based on information compiled by independent consulting metallurgist Brian McNab (CP. B.Sc Extractive Metallurgy), Mr McNab is a Member of AusIMM. Brian McNab is employed by Wood Mining and Metals. Mr McNab has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which is undertaken, to qualify as a Competent Person as defined in the JORC 2012 Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr McNab consents to the inclusion in the announcement of the matters based on the information made available to him, in the form and context in which it appears.

2019 Drilling Progress Update with latest Mineral Resource Estimate dated November 2018 (2012 JORC Code – Table 1)

Section 1: Sampling Techniques and Data

Criteria	JORC Code Explanation	Commentary
<p>Sampling techniques</p>	<p>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</p>	<p>The Gabanintha deposit was sampled using diamond core and reverse circulation (RC) percussion drilling from surface.</p> <p>During 2019 a further 8 PQ diamond drill holes have been completed, drilling down-dip of the high grade zone, to collect metallurgy sample for a plant pilot study. These holes are being measured by hand-held XRF at 50 cm intervals and will not form part of any resource estimation update unless certified laboratory analysis is completed on a cut portion of the drill core.</p> <p>At the time of the latest Mineral Resource estimation (November 2018), a total of 250 RC holes and 20 diamond holes (6 of which are diamond tails) were drilled into the deposit. 59 of the 251 holes were either too far north or east of the main mineralisation trend, or excised due to being on another tenancy. One section in the southern part of the deposit (holes GRC0156, GRC0074, GRC0037 and GRC0038) was blocked out and excluded from the resource due to what appeared to be an intrusion which affected the mineralised zones in this area. Of the remaining 191 drillholes, one had geological logging but no assays and one was excluded due to poor sample return causing poor representation of the mineralised zones. Two diamond holes drilled during 2018 were not part of the resource estimate, as they were drilled into the western wall for geotechnical purposes. The total metres of drilling available for use in the interpretation and grade estimation was 17,530m at the date of the most recent resource estimate.</p> <p>The initial 17 RC drillholes were drilled by Intermin Resources NL (IRC) in 1998. These holes were not used in the 2015 and 2017 estimates due to very long unequal sample lengths and a different grade profile from subsequent drilling. 31 RC drillholes were drilled by Greater Pacific NL in 2000 and the remaining holes for the project were drilled by Australian Vanadium Ltd (Previously Yellow Rock Resources Ltd) between 2007 and 2018. This drilling includes 20 diamond holes (6 of which are diamond tails) and 76 RC holes, for a total of 20,974m drilled.</p> <p>All of the drilling sampled both high and low-grade material and were sampled for assaying of a typical iron ore suite, including vanadium and titanium plus base metals and sulphur.</p>
	<p>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</p>	<p>2019 PQ core has not been sampled. Handheld XRF machines being used to take ½ metre measurements on the core have been calibrated using pulps from previous drilling by the Company, for which there are known head assays. 2018 HQ diamond core was half-core sampled at regular intervals (usually one metre) with smaller sample intervals at geological boundaries. 2015 diamond core was quarter-core sampled at regular intervals (usually one metre) and constrained to geological boundaries where appropriate. 2009 HQ diamond core was half-core sampled at regular intervals (one metre) or to geological boundaries. Most of the RC drilling was sampled at one metre intervals, apart from the very earliest programme in 1998. RC samples have been split from the rig for all programs with a cone splitter to obtain 2.5 – 3.5 kg of sample from each metre. Field duplicates were collected for every 40th drill metre to check sample representativity from the drill rig splitter.</p>

Criteria	JORC Code Explanation	Commentary
	<p>Aspects of the determination of mineralisation that are Material to the Public Report.</p>	<p>RC drilling samples were collected at one metre intervals and passed through a cone splitter to obtain a nominal 2-5kg sample at an approximate 10% split ratio. These split samples were collected in pre-numbered calico sample bags. The sample was dried, crushed and pulverised to produce a sub sample (~200g) for laboratory analysis using XRF and total LOI by thermo-gravimetric analysis.</p> <p>Diamond core was drilled predominantly at HQ size for the earlier drilling (2009) and entirely HQ for the 2018 program, with the 2015 and 2019 drilling at PQ3 size.</p> <p>Field duplicates, standards and blanks have been inserted into the sampling stream at a rate of nominally 1:20 for blanks, 1:20 for standards (including internal laboratory), 1:40 for field duplicates, 1:20 for laboratory checks and 1:74 for umpire assays.</p>
Drilling techniques	<p>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face- sampling bit or other type, whether core is oriented and if so, by what method, etc.).</p>	<p>Diamond drillholes account for 14% of the drill metres and comprises HQ and PQ3 sized core. RC drilling (generally 135 mm to 140 mm face-sampling hammer) accounts for the remaining 86% of the drilled metres. Six of the diamond holes have RC pre-collars (GDH911, GDH913 & GDH916, 18GEDH001, 002 and 003), otherwise all holes are drilled from surface.</p> <p>No core orientation data has been recorded in the database.</p> <p>17 RC holes were drilled during the 2018 program and three HQ diamond tails were drilled on RC pre-collars for resource and geotechnical purposes. The core was not orientated but all diamond holes were logged by OTV and ATV televiewer. Six RC holes from the 2018 campaign are not used in the resource estimate due to results pending at the time of the latest update, and two diamond holes drilled during 2018 were not used as they are for geotechnical purposes and do not intersect the mineralised zones.</p> <p>During 2019 a further 8 PQ diamond holes have been drilled down-dip on the high-grade zone for metallurgical sample, but have not been sampled for assay analysis, and do not form part of any resource estimation.</p>
Drill sample recovery	<p>Method of recording and assessing core and chip sample recoveries and results assessed.</p>	<p>Diamond core recovery is measured when the core is recovered from the drill string. The length of core in the tray is compared with the expected drilled length and is recorded in the database.</p> <p>For the 2018 and 2015 drilling, RC chip sample recovery was gauged by how much of the sample was returned from the cone splitter. This was recorded as good, fair, poor or no sample. The older drilling programmes used a different splitter, but still compared and recorded how much sample was returned for the drilled intervals. All of the RC sample bags (non-split portion) from the 2018 programme were weighed as an additional check on recovery.</p> <p>An experienced AVL geologist was present during drilling and any issues noticed were immediately rectified.</p> <p>No significant sample recovery issues were encountered in the RC drilling.</p>
	<p>Measures taken to maximize sample recovery and ensure representative nature of the samples.</p>	<p>Core depths are checked against the depth given on the core blocks and rod counts are routinely carried out by the drillers. Recovered core was measured and compared against driller's blocks.</p> <p>RC chip samples were actively monitored by the geologist whilst drilling.</p> <p>All drillholes are collared with PVC pipe for the first metre or two, to ensure the hole stays open and clean from debris.</p>

Criteria	JORC Code Explanation	Commentary
	Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	<p>No relationship between sample recovery and grade has been demonstrated.</p> <p>Two shallow diamond drillholes drilled to twin RC have been completed to assess sample bias due to preferential loss/gain of fine/coarse material.</p> <p>Geologica Pty Ltd is satisfied that the RC holes have taken a sufficiently representative sample of the mineralisation and minimal loss of fines has occurred in the RC drilling resulting in minimal sample bias.</p>
Logging	<p>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</p> <p>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</p> <p>The total length and percentage of the relevant intersections logged.</p>	<p>All diamond core and RC chips from holes included in the latest resource estimate were geologically logged.</p> <p>Diamond core was geologically logged using predefined lithological, mineralogical and physical characteristics (such as colour, weathering, fabric, texture) logging codes and the logged intervals were based on lithological intervals. RQD and recoveries were also recorded. Minimal structural measurements were recorded (bedding to core angle measurements) but have not yet been saved to the database.</p> <p>The logging was completed on site by the responsible geologist.</p> <p>All of the drilling was logged onto paper and was transferred to a SQL Server drillhole database using DataShed™ database management software. The database is managed by Mitchell River Group (MRG). The data was checked for accuracy when transferred to ensure that correct information was recorded. Any discrepancies were referred back to field personnel for checking and editing.</p> <p>All core trays were photographed wet and dry.</p> <p>RC chips were logged generally on metre intervals, with the abundance/proportions of specific minerals, material types, lithologies, weathering and colour recorded.</p> <p>Physical hardness for RC holes is estimated by chip recovery and properties (friability, angularity) and in diamond holes by scratch testing.</p> <p>From 2015, drilling also had magnetic susceptibility recorded, with the first nine diamond holes (GDH901-GDH909) having readings taken on the core every 30 cm or so downhole. Holes GDH910 to GDH917 had readings every 50 cm and RC holes GRC0159 to GRC0221 had readings for every one metre green sample bag. 2018 RC drill holes also have magnetic susceptibility data for each one metre of drilling.</p> <p>All resource (vs geotechnical) diamond core and RC samples have been logged to a level of detail to support Mineral Resource estimation to and classification to Measured Mineral Resource at best.</p> <p>Geotechnical logging and OTV/ATV data was collected on three diamond drillholes from the 2018 campaign, by consultant company Dempers and Seymour, adding to an existing dataset of geotechnical logging on 8 of the 2015 diamond drillholes and televiewer data for four of the same drillholes. In addition, during 2018 televiewer data was collected on a further 15 RC drillholes from various drill campaigns at the project.</p> <p>PQ diamond drill holes completed during 2019 have handheld XRF readings per half metre, in addition to KT-10 magnetic susceptibility readings at the same core locations. They are being geologically logged in detail by the site geologists, and geotechnical logging is being completed, also at site.</p> <p>Logging was both qualitative and quantitative in nature, with general lithology information recorded as qualitative and most mineralisation records and geotechnical records being quantitative. Core photos were collected for all diamond drilling.</p> <p>All recovered intervals were geologically logged.</p>

Criteria	JORC Code Explanation	Commentary
Sub-sampling techniques and sample preparation	If core, whether cut or sawn and whether quarter, half or all core taken.	<p>The 2018 and 2009 HQ diamond core was cut in half and the half core samples were sent to the laboratories for assaying. Sample intervals were marked on the core by the responsible geologist considering lithological and structural features.</p> <p>No core was selected for duplicate analysis.</p> <p>The 2015 PQ diamond core was cut in half and then the right hand side of the core (facing downhole) was halved again using a powered core saw. Quarter core samples were sent to the laboratories for assaying. Sample intervals were marked on the core by the responsible geologist considering lithological and structural features.</p> <p>No core was selected for duplicate analysis.</p> <p>60% of the total PQ diamond drill holes from 2019 will be sampled, through cutting a wedge from the core. This sample will be available for assay analysis. The portions of core to be sampled are still to be selected.</p>
	If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.	RC drilling was sampled by use of an automatic cone splitter for the 2018 and 2015 drilling programmes; drilling was generally dry with a few damp samples. Older drilling programmes employed riffle splitters to produce the required sample splits for assaying. One in 40 to 50 RC samples was resampled as field duplicates for QAQC assaying.
	For all sample types, the nature, quality and appropriateness of the sample preparation technique.	<p>The sample preparation techniques employed for the diamond core samples follow standard industry best practice. All samples were crushed by jaw and Boyd crushers and split if required to produce a standardised ~3kg sample for pulverising. The 2015 programme RC chips were split to produce the same sized sample.</p> <p>All samples were pulverised to a nominal 90% passing 75 micron sizing and sub sampled for assaying and LOI determination tests. The remaining pulps are stored at an AVL facility.</p> <p>The sample preparation techniques are of industry standard and are appropriate for the sample types and proposed assaying methods.</p>
	Quality control procedures adopted for all sub-sampling stages to maximize representivity of samples.	Field duplicates, standards and blanks have been inserted into the sampling stream at a rate of nominally 1:20 for blanks, 1:20 for standards (including internal laboratory), 1:40 for field duplicates, 1:20 for laboratory checks and 1:74 for umpire assays. Also for the recent sampling at BV, 1 in 20 samples were tested to check for pulp grind size.
	Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.	<p>To ensure the samples collected are representative of the in-situ material, a 140mm diameter RC hammer was used to collect one metre samples and either HQ or PQ3 sized core was taken from the diamond holes. Given that the mineralisation at Gabanintha is either massive or disseminated magnetite/martite hosted vanadium, which shows good consistency in interpretation between sections and occurs as percentage values in the samples, Geologica Pty Ltd considers the sample sizes to be representative.</p> <p>Core is not split for duplicates, but RC samples are split at the collection stage to get representative (2-3kg) duplicate samples.</p> <p>The entire core sample and all the RC chips are crushed and /or mixed before splitting to smaller sub-samples for assaying.</p>
	Whether sample sizes are appropriate to the grain size of the material being sampled.	As all of the variables being tested occur as moderate to high percentage values and generally have very low variances (apart from Cr ₂ O ₃), the chosen sample sizes are deemed appropriate.

Criteria	JORC Code Explanation	Commentary
<p>Quality of assay data and laboratory tests</p>	<p>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</p>	<p>All samples for Gabanintha were assayed for the full iron ore suite by XRF (24 elements) and for total LOI by thermo-gravimetric technique. The method used is designed to measure the total amount of each element in the sample. Some 2015 RC samples in the oxide profile were also selected for SATMAGAN analysis that is a measure of the amount of total iron that is present as magnetite (or other magnetic iron spinel phases, such as maghemite or kenomagnetite). SATMAGAN analysis was conducted at Bureau Veritas (BV) Laboratory in early 2018. Analysis results of the relevant portions of the RC holes by Satmagan are pending, but underway.</p> <p>Although the laboratories changed over time for different drilling programmes, the laboratory procedures all appear to be in line with industry standards and appropriate for iron ore deposits, and the commercial laboratories have been industry recognized and certified</p> <p>Samples are dried at 105°C in gas fired ovens for 18-24 hours before RC samples being split 50:50. One portion is retained for future testing, while the other is then crushed and pulverised. Sub-samples are collected to produce a 66g sample that is used to produce a fused bead for XRF based analysing and reporting.</p> <p>Certified and non-certified Reference Material standards, field duplicates and umpire laboratory analysis are used for quality control. The standards inserted by AVL during the 2015 drill campaign were designed to test the V₂O₅ grades around 1.94%, 0.95% and 0.47%. The internal laboratory standards used have varied grade ranges but do cover these three grades as well. During 2018, three Certified Reference Materials (CRMs) were used by AVL as field standards. These covered the V₂O₅ grade ranges around 0.327%, 0.790% and 1.233%. These CRMs are also certified for other relevant major element and oxide values, including Fe, TiO₂, Al₂O₃, SiO₂, Co, Ni and Cu (amongst others).</p> <p>Most of the laboratory standards used show an apparent underestimation of V₂O₅, with the results plotting below the expected value lines, however the results generally fall within ± 5-10% ranges of the expected values. The other elements show no obvious material bias.</p> <p>Standards used by AVL generally showed good precision, falling within 3-5% of the mean value in any batch. The standards were not certified but compared with the internal laboratory standards (certified) they appear to show good accuracy as well.</p> <p>Field duplicate results from the 2015 drilling all fall within 10% of their original values.</p> <p>The BV laboratory XRF machine calibrations are checked once per shift using calibration beads made using exact weights and they performed repeat analyses of sample pulps at a rate of 1:20 (5% of all samples). The lab repeats compare very closely with the original analysis for all elements.</p> <p>2019 PQ diamond core is not yet sampled, but any core sampled will be subject to the same process outlined above for previous drill campaigns.</p>
	<p>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</p>	<p>The only geophysical readings taken for the Gabanintha core and RC samples and recorded in the database were magnetic susceptibility. For the 2009 diamond and 2015 RC and diamond drill campaigns this was undertaken using an RT1 hand magnetic susceptibility meter (CorMaGeo/Fugro) with a sensitivity of 1×10^{-5} (dimensionless units). The first nine diamond holes (GDH901 – GDH909) were sampled at approximately 0.3m intervals, the last eight (GDH910 – GDH917) at 0.5m intervals and the RC chip bags for every green bagged sample (one metre). During 2018 and 2019 RC and diamond core has been measured using a KT-10 magnetic susceptibility metre, at 1×10^{-3} ssi unit.</p> <p>2019 diamond core is being analysed using an Olympus Vanta pXRF with a 20 second read time. The unit has been calibrated using pulp samples with known head assays from previous drill campaigns by the Company. Standard deviations for each element analysed is being recorded and retained. Elements being analysed are: Mg, Al, Si, P, S, K, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Cu, Zn, As, Se, Rb, Sr, Y, Zr, Nb, Mo, Ag, Cd, Sn, Sb, W, Hg, Pb, Bi, Th, and U.</p>

Criteria	JORC Code Explanation	Commentary
		<p>Four completed diamond drillholes were down hole surveyed by acoustic televiewer (GDH911, 912, 914 and 915) as a prequel to geotechnical logging during the 2015 drill campaign. A further six holes from the 2018 campaign have been down hole surveyed using acoustic televiewer and optical televiewer (18GEDH001, 002 and 003 and partial surveys of 18GERC005, 008 and 011) for 627 metres of data.</p> <p>Televiewer data was also collected during 2018 on some of the holes drilled in 2015 and prior. The holes surveyed were GRC0019, 0024, 0168, 0169, 0173, 0178, 0180, 0183, 0200 and Na253, Na258 and Na376 for a further 286.75 m of data.</p>
	<p>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</p>	<p>QAQC results from both the primary and secondary assay laboratories show no material issues with the main variables of interest for the recent assaying programmes.</p>
<p>Verification of sampling and assaying</p>	<p>The verification of significant intersections by either independent or alternative company personnel.</p>	<p>Diamond drill core photographs have been reviewed for the recorded sample intervals. Geologica Pty Ltd Consultant, Brian Davis, visited the Gabanintha project site and the BV core shed and assay laboratories in September 2015 and on multiple occasions over a 10 year period. Whilst on site, the drillhole collars and remaining RC chip samples were inspected. All of the core was inspected in the BV facilities in Perth and selected sections of drillholes were examined in detail in conjunction with the geological logging and assaying.</p> <p>Resource consultants from Trepainier have visited the company core storage facility in Bayswater and reviewed the core trays for select diamond holes.</p>
	<p>The use of twinned holes.</p>	<p>Two diamond drillholes (GDH915 and GDH917) were drilled to twin the RC drillholes GRC0105 and GRC0162 respectively. The results show excellent reproducibility in both geology and assayed grade for each pair.</p>
	<p>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</p>	<p>All primary geological data has been collected using paper logs and transferred into Excel spreadsheets and ultimately a SQL Server Database. The data were checked on import. Assay results were returned from the laboratories as electronic data which were imported directly into the SQL Server database. Survey and collar location data were received as electronic data and imported directly to the SQL database.</p> <p>All of the primary data have been collated and imported into a Microsoft SQL Server relational database, keyed on borehole identifiers and assay sample numbers. The database is managed using DataShed™ database management software. The data was verified as it was entered and checked by the database administrator (MRG) and AVL personnel</p>
	<p>Discuss any adjustment to assay data.</p>	<p>No adjustments or calibrations were made to any assay data, apart from resetting below detection limit values to half positive detection values.</p>

Criteria	JORC Code Explanation	Commentary
Location of data points	Accuracy and quality of surveys used to locate drillholes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.	<p>The 2019 drill holes have been set out using a real-time Kinematic (RTK) GPS system. Following completion of drilling they are being picked up with a DGPS system (accuracy of about 20 cm resolution on the horizontal), prior to getting a professional surveyor with an RTK system back to site for the final pick-up.</p> <p>For the 2018 drilling, all collars were set out using a handheld GPS. After drilling they were surveyed using a Trimble RTK GPS system. The base station accuracy on site was improved during the 2015 survey campaign and a global accuracy improvement was applied to all drillholes in the Company database.</p> <p>For the 2015 drilling, all of the collars were set out using a Trimble RTK GPS system. After completion of drilling all new collars were re- surveyed using the same tool.</p> <p>Historical drill holes were surveyed with RTK GPS and DGPS from 2008 to 2015, using the remaining visible collar location positions where necessary. Only five of the early drillholes, drilled prior to 2000 by Intermin, had no obvious collar position when surveyed and a best estimate of their position was used based on planned position data.</p> <p>Downhole surveys were completed for all diamond holes, using gyro surveying equipment, as well as the RC holes drilled in 2015 (from GRC0159). Some RC drillholes from the 2018 campaign do not have gyro survey as the hole closed before the survey could be done. These holes have single shot camera surveys, from which the dip readings were used with an interpreted azimuth (nominal hole setup azimuth). The holes with interpreted azimuth are all less than 120m depth. All other RC holes were given a nominal -60° dip measurement. These older RC holes were almost all 120m or less in depth.</p>
	Specification of the grid system used.	The grid projection used for Gabanintha is MGA_GDA94, Zone 50. All reported coordinates are referenced to this grid.
	Quality and adequacy of topographic control.	<p>High resolution Digital Elevation Data was captured by Arvista for the Company in June 2018 over the MLA51/878 tenement area using fixed wing aircraft, with survey captured at 12 cm GSD using an UltraCam camera system operated by Aerometrex. The data has been used to create a high-resolution Digital Elevation Model on a grid spacing of 5m x 5m, which is within 20 cm of all surveyed drill collar heights, once the database collar positions were corrected for the improved ground control survey, that was also used in this topography survey. The vertical accuracy that could be achieved with the 12 cm GSD is +/- 0.10 m and the horizontal accuracy is +/- 0.24m. 0.5m contour data has also been generated over the mining lease application. High quality orthophotography was also acquired during the survey at 12cm per pixel for the full lease area, and visual examination of the imagery shows excellent alignment with the drill collar positions. The November 2018 Mineral Resource used this surface for topographic control within the Mining Lease Application area (MLA51/878).</p> <p>For the entire 2017 and July 2018 Mineral Resource estimates, and the November 2018 Mineral Resource estimate outside the MLA area, high resolution Digital Elevation Data was supplied by Landgate. The northern two thirds of the elevation data is derived from ADS80 imagery flown September 2014. The data has a spacing of 5M and is the most accurate available. The southern third is film camera derived 2005 10M grid, resampled to match it with the 2014 DEM. Filtering was applied and height changes are generally within 0.5M. Some height errors in the 2005 data may be +/- 1.5M when measured against AHD but within the whole area of interest any relative errors will mostly be no more than +/- 1M.</p> <p>In 2015 a DGPS survey of hole collars and additional points was taken at conclusion of the drill program. Trepanier compared the elevations the drillholes with the supplied DEM surface and found them to be within 1m accuracy.</p>

Criteria	JORC Code Explanation	Commentary
		<p>An improved ground control point has been established at the Gabanintha project by professional surveyors. This accurate ground control point was used during the acquisition of high quality elevation data. As such, a correction to align previous surveys with the improved ground control was applied to all drill collars from pre-2018 in the Company drill database. Collars that were picked up during 2018 were already calibrated against the new ground control.</p> <p>2019 drill collar locations have been verified with a DGPS in the field (accuracy about 20 cm on the horizontal) with final RTK pick up pending at completion of the drill program.</p>
Data spacing and distribution	Data spacing for reporting of Exploration Results.	<p>The 2018 RC drilling in Fault Block 17 has infilled areas of 260 m spaced drill lines to about 130m spaced drill lines, with holes on 30 m centres on each line.</p> <p>The closer spaced drilled areas of the deposit now have approximately 80m to 100m spacing by northing and 25m to 30m spacing by easting. Occasionally these spacings are closer for some pairs of drillholes. Outside of the main area of relatively close spaced drilling (approximately 7015400mN to 7016600mN), the drillhole spacing increases to several hundred metres in the northing direction, but maintains roughly the same easting separation as the closer spaced drilled area.</p>
	Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.	<p>The degree of geological and grade continuity demonstrated by the data density is sufficient to support the definition of Mineral Resources and the associated classifications applied to the Mineral Resource estimate as defined under the 2012 JORC Code. Variography studies have shown very little variance in the data for most of the estimated variables and primary ranges in the order of several hundred metres.</p>
	Whether sample compositing has been applied.	<p>All assay results have been composited to one metre lengths before being used in the Mineral Resource estimate. This was by far the most common sample interval for the diamond drillhole and RC drillhole data.</p>
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.	<p>The grid rotation is approximately 45° to 50° magnetic to the west, with the holes dipping approximately 60° to the east. The drill fences are arranged along the average strike of the high grade mineralised horizon, which strikes approximately 310° to 315° magnetic south of a line at 7015000mN and approximately 330° magnetic north of that line. The mineralisation is interpreted to be moderate to steeply dipping, approximately tabular, with stratiform bedding striking approximately north-south and dipping to the west. The drilling is exclusively conducted perpendicular to the strike of the main mineralisation trend and dipping approximately 60° to the east, producing approximate true thickness sample intervals through the mineralisation.</p>

Criteria	JORC Code Explanation	Commentary
	<p>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</p>	<p>The orientation of drilling with respect to mineralisation is not expected to introduce any sampling bias. Drillholes intersect the mineralisation at an angle of approximately 90 degrees.</p> <p>The 2019 PQ diamond holes are deliberately being drilled down dip to maximise the amount of metallurgy sample collected for the pilot study. They are not intended to add material to the resource estimation, or to define geological boundaries.</p>
Sample security	<p>The measures taken to ensure sample security.</p>	<p>Samples were collected onsite under supervision of a responsible geologist. The samples were then stored in lidded core trays and closed with straps before being transported by road to the BV core shed in Perth (or other laboratories for the historical data). RC chip samples were transported in bulk bags to the assay laboratory and the remaining green bags are either still at site or stored in Perth.</p> <p>RC and core samples were transported using only registered public transport companies. Sample dispatch sheets were compared against received samples and any discrepancies reported and corrected.</p>
Audits or reviews	<p>The results of any audits or reviews of sampling techniques and data.</p>	<p>A review of the sampling techniques and data was completed by Mining Assets Pty Ltd (MASS) and Schwann Consulting Pty Ltd (Schwann) in 2008 and by CSA in 2011. Neither found any material error. AMC also reviewed the data in the course of preparing a Mineral Resource estimate in 2015. The database has been audited and rebuilt by AVL and MRG in 2015. In 2017 geological data was revised after missing lithological data was sourced. Geologica Pty Ltd concludes that the data integrity and consistency of the drillhole database shows sufficient quality to support resource estimation.</p>